

GERMANY LIPER

GERMANY LIPER ELECTRICAL CO.,LTD

ZHEJIANG LIPER LIGHTING TECHNOLOGY CO., LTD

Add:No. 580 Binhai 2nd Road, Yongxing Street, Longwan District, Wenzhou City, Zhejiang Province, China
TEL:+86-577-8682 7777 86-577-8682 5888
FAX:+86-577-8681 5838
E-mail:admin@liperlighting.com

www.liperlighting.com
https://www.facebook.com/LiperGermany

liper

2024.4



Established in Germany in 1912...

liper®

GERMANY LIPER

LED







Das einzige unveränderliche Thema - Qualität

Brilliant light,
the unique eternal topic-----
quality.

liper

ESTABLISHED IN GERMANY IN 1912

Firmenprofil >>>

COMPANY PROFILE

Zhejiang Liper Beleuchtungstechnik AG(Kurze Einführung)



Im Dezember 2015 etablierten Liper Elektrogeräte GmbH in Deutschland und Zhejiang Liper Beleuchtungstechnik AG offiziell eine strategische Partnerschaft. Deutsche Führungskräfte und chinesische Vertreter unterzeichneten eine strategische Kooperationsvereinbarung in Deutschland. Die beiden Seiten beginnen mit der vielseitigen Zusammenarbeit, was signalisiert, dass Liper Beleuchtungstechnik AG zu einer neuen Etappe gegangen ist. Ein Flugzeugträger in internationaler Beleuchtungsindustrie wird bald abfahren.....

Wir werden die Vorteile der deutschen Industrietechnologie und den kontinuierlich verbesserten gerrmanischen Geist voll integrieren, um ausgezeichnete Leistungen und nachhaltige Entwicklung zu erzielen und die ganzheitlichen Beleuchtungslösungen mit Weltrang für die weltweite kommerzielle Beleuchtung, Innenbeleuchtung und Außenbeleuchtung zu bieten. Dies ist eine Erweiterung des beideseitigen strategischen Layout. Darüber hinaus werden das neue Zusammenarbeitsmodell und die Strategie tiefgreifende Auswirkungen auf LED-Beleuchtungsindustrie haben.

Nach jahrelangen Entwicklungen hat Liper Beleuchtungstechnik AG sich zu einem globalen Beleuchtungsgeschäft entwickelt, was Forschung und Entwicklung, Produktion sowie Vertrieb integriert und mehr als 2.000 bestehende Mitarbeiter hat. Das Unternehmen hält sich an das "menschenorientierte" Entwicklungskonzept und legt großen Wert auf die Errichtung des Talentteams, technologische Talente kraftvoll einzuführen und zu trainieren. Das Unternehmen führt die deutschen fortschrittlichen Technologien und Ausrüstungen umfassend ein und errichtet F& E-Zentrum und Laborator auf nationaler Ebene. Es hat ein professionelles Team zum Management vom Betrieb, dessen Produkte auf der ganzen Welt verkauft werden. Zudem gründet es Niederlassungen und Geschäftsstellen in Europa, Mittlerem Osten, Südamerika, Südostasien, Afrika und anderen Regionen.

Durch die Zusammenarbeit zwischen Liper Beleuchtungstechnik AG und Liper Elektrogeräte GmbH in Deutschland, werden die beide Seiten ihre jeweiligen professionellen Vorteile im Produktionsmanagement und technischen Bereich voll integrieren, die Zusammenarbeit in F & E und Produkt durchzuführen, während in Markt, Kanal und Vertrieb zusammenzuarbeiten. Die "Liper Beleuchtung" entwickelt sich zum globalen Beleuchtungsgeschäft und zur führenden Beleuchtungsmarke Chinas. Bei der Gestaltung der internationalen Marke engagiert das Liper-Personal sich immer für die Gesinnung eines grünen, harmonischen, energiesparenden und kohlenstoffarmen neuen Lebens, um eine bessere Beleuchtungsumgebung für die ganze Welt zu schaffen und das Leben jeden Tag zu beleuchten!

Liper lässt die Welt energiesparender!

Zhejiang Liper Lighting Technology Co., Ltd

By officially reaching a strategic partnership on December 2015 upon signing of a strategic cooperation agreement between top leaders of the German company and representatives of its Chinese counterpart in Germany, Germany Liper Electric Co., Ltd and Zhejiang Liper Lighting Technology Co., Ltd have conducted all-round cooperation, marking a new stage of Liper's development. An aircraft carrier in the international lighting industry is about to set sail.....

We will fully integrate the German superior industrial technologies and improve German spirits to achieve excellence in performance and sustainable development, so as to provide world first-class integrated lighting solutions for the global commercial lighting, indoor lighting and outdoor lighting. It is not only an extension of the strategic layout of the two sides, but the new cooperation pattern and strategy will bring a far-reaching impact on the LED lighting industry.

After years of development, Liper now has grown into a global lighting enterprise engaged in product R & D, production and sales. The company currently employs more than 2000 people and attaches great importance to the establishment of high-quality talent team with great efforts made to introduce and cultivate talents of science and technology, under the “people-oriented” development philosophy. By widely introducing a full set of advanced technologies and equipment from Germany, setting up a state-level R & D center and laboratory, and putting business under management of the professional team, the company has exported its products to markets throughout the world with subsidiaries and offices in Europe, the Middle East, South America, Southeast Asia, Africa and other regions.

Based on business cooperation, Liper and Germany Liper will fully integrate their professional advantages in production management and technology for cooperation in R & D and products as well as in the fields of marketing, channels and sales, so that Liper will grow into a global lighting company as the leader brand in Chinese lighting industry. In shaping an international brand, Liper workers are still committed to promoting new views of green, harmonious, energy saving and low-carbon life, to create a better light environment for the world and light the life every day!

Liper make the world more energy saving!



Gruppenfoto von Vorstandvorsitzender Herr Wang Renle und Staatspräsident
Board Chairman Mr.Wang Renle take group photo with Chinese former and current president





Contents


LED FLOOD LIGHT 001-014


LED STREET LIGHT 015-028


LED SOLAR LIGHT 029-034


LED UFO LIGHT 035-038


LED LAMP 039-042


LED STEP LIGHT 043-044


LED WALL LIGHT 045-046


LED DOWN LIGHT 047-090


LED TRACK LIGHT 091-094

LED LOUVER FITTING 095-096

LED TUBE 097-102


LED STRIP LIGHT 103-104


LED MAGNETIC TRACK LIGHT 105-109

Brilliant light,

the unique eternal topic-----

quality.

BT SERIES
LED FLOOD LIGHT

LED FLOOD LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-20BT01	**20W**	2000-2080LM	N	114x90x29mm
LPFL-30BT01	**30W**	3000-3080LM	N	136X118X29mm
LPFL-50BT01	**50W**	5000-5080LM	N	175X152X29mm
LPFL-100BT01	**100W**	10000-10500LM	N	236x202x32mm
LPFL-200BT01	**200W**	20000-20500LM	N	301X251X35mm
LPFL-300BT01	**300W**	30000-30500LM	N	330x302x35mm

LED FLOOD LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP66





Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-20BT02	**20W**	2000-2080LM	N	114x90x29mm
LPFL-30BT02	**30W**	3000-3080LM	N	136X118X29mm
LPFL-50BT02	**50W**	5000-5080LM	N	175X152X29mm





Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-100BT02	**100W**	10000-10500LM	N	236x202x32mm
LPFL-200BT02	**200W**	20000-20500LM	N	301X251X35mm
LPFL-300BT02	**300W**	30000-30500LM	N	330x302x35mm

Material

High Quality Aviation Aluminum

Color Temperature

Warm White

Cool White

Natural White

BS SERIES
LED FLOOD LIGHT

LED FLOOD LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP66



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-10BS01	**10W**	1000-1080LM	N	117X31X107mm
LPFL-20BS01	**20W**	2000-2080LM	N	117X31X107mm
LPFL-30BS01	**30W**	3000-3080LM	N	156X144X33mm
LPFL-50BS01	**50W**	5000-5080LM	N	199X36X160mm
LPFL-70BS01	**70W**	7000-5080LM	N	255X50X240mm
LPFL-100BS01	**100W**	10000-10500LM	N	331X50X280mm
LPFL-150BS01	**150W**	15000-15500LM	N	331X62X280mm
LPFL-200BS01	**200W**	20000-20500LM	N	331X88X280mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-10BS01-G	**10W**	1000-1080LM	N	167X55X107mm
LPFL-20BS01-G	**20W**	2000-2080LM	N	167X55X107mm
LPFL-30BS01-G	**30W**	3000-3080LM	N	202X56X156mm
LPFL-50BS01-G	**50W**	5000-5080LM	N	225X60X198mm

XT SERIES
LED FLOOD LIGHT

LED FLOOD LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP66



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-10XT01	**10W**	1000-1080LM	N	105X30X100mm
LPFL-20XT01	**20W**	2000-2080LM	N	124X30X114mm
LPFL-30XT01	**30W**	3000-3080LM	N	154X32X138mm
LPFL-50XT01	**50W**	5000-5080LM	N	205X32X175mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-100XT01	**100W**	10000-10500LM	N	280X34X258mm
LPFL-150XT01	**150W**	15000-15500LM	N	320X38X280mm

Material

High Quality Aviation Aluminum

Color Temperature

Warm White

Cool White

Natural White

X SERIES
LED FLOOD LIGHT



GERMANY LIPER

LED FLOOD LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP66



Terminal Box

Color Temperature

RGB





Remote Control

RGB



Wireless Remote Control

X SERIES
LED FLOOD LIGHT


IP66






200W


10W 105°




20W 105°




30W 105°




50W 105°




70W 110°




100W 110°



150W 105°



200W 70°



Material
High Quality Aviation Aluminum

Color Temperature

Warm White



Cool White



Natural White



LED FLOOD LIGHT

AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-10X01	**10W**	890-950LM	N	137X32X118mm
LPFL-20X01	**20W**	1720-1810LM	N	180X37X187mm
LPFL-30X01	**30W**	2650-2730LM	N	193X37X197mm
LPFL-50X01	**50W**	4120-4200LM	N	258X42X257mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-100X01	**100W**	9150-9350LM	N	261X59X268mm
LPFL-150X01	**150W**	14100-14380LM	N	285X65X285mm
LPFL-200X01	**200W**	18800-19200LM	N	345X70X370mm




Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-200X01	**200W**	20000-21000LM	N	345X110X375mm
LPFL-400X01	**400W**	40000-41000LM	N	405X105X430mm

M SERIES
LED FLOOD LIGHT



LED
FLOOD LIGHT







Material
High Quality Aviation Aluminum

Color Temperature

Warm White | Cool White | Natural White



GERMANY LIPER

LED FLOOD LIGHT

AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-50M01	**50W**	4980-5120LM	N	295X70X138mm
LPFL-100M01	**100W**	10560-11380LM	N	295X70X268mm
LPFL-150M01	**150W**	14800-15500LM	N	298X73X378mm
LPFL-200M01	**200W**	20800-21500LM	N	298X73X490mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-300M01	**300W**	28900-29600LM	N	573X73X378mm
LPFL-400M01	**400W**	39500-40200LM	N	573X73X490mm
LPFL-500M01	**500W**	48600-49700LM	N	573X73X600mm
LPFL-600M01	**600W**	58800-59500LM	N	573X73X710mm



K SERIES
LED FLOOD LIGHT



LPFL-30K01 LPFL-30K02 LPFL-30K03 LPFL-30K04 LPFL-30K05

LED FLOOD LIGHT
FOLDABLE/STRETCHABLE

(I. It can consistently use for 8 hours. II. It can consistently use for 4 hours. ★III: SOS)



Easy to Carry



Car Charger



Normal Charger



Camping



Barbecue



Car Repairing

LED FLOOD LIGHT

AC:100/220-240V CRI⩾80 H:30000h





Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Verdunklung DIM	Produktgröße Product Size
LPWK-100H01	**100W**	8800mAh	N	213X195X42mm


Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPFL-30K01	**30W**	2400-3000LM	N	250X36X324mm
LPFL-30K02	**30W**	2400-3000LM	N	250X36X324mm
LPFL-30K03	**30W**	2400-3000LM	N	250X36X324mm
LPFL-30K04	**30W**	2400-3000LM	N	250X36X324mm
LPFL-30K05	**30W**	2400-3000LM	N	250X36X324mm

liper®

1912...
GERMANY LIPER







C SERIES
LED STREET LIGHT



GERMANY LIPER


LED STREET LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP66




Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Rohrdurchmesser einbauen Installation Pipe Diameter
LPSTL-20C01	**20W**	1900-2200LM	N	282X55X144mm	∅ 50mm
LPSTL-30C01	**30W**	2850-3300LM	N	282X55X144mm	∅ 50mm
LPSTL-50C01	**50W**	4750-5500LM	N	383X67X190mm	∅ 50mm
LPSTL-100C01	**100W**	9500-11000LM	N	490X85X225mm	∅ 50/60mm
LPSTL-100C01-G	**100W**	9500-11000LM	N	490X158X225mm	∅ 50/60mm
LPSTL-150C01	**150W**	14250-16500LM	N	600X95X272mm	∅ 50/60mm
LPSTL-200C01	**200W**	19000-22000LM	N	643X120X293mm	∅ 50/60mm


20W 110°




30W 110°



50W 95°




100W 100°






150W 100°



200W 100°



Material

High Quality Aviation
Aluminum

Color Temperature

Warm White




Cool White




Natural White



A SERIES
LED STREET LIGHT






RECOMMENDED SPACING OF STREET LIGHTS					ROAD REFERENCE DATASHEET				
	A	B	C	D	Lm(cd/㎡)	Uo	U1	TI[%]	EIR
50W	18-21m	18-21m	30-36m	32-38m	⩾0. 75	⩾0. 40	⩾0. 60	⩽15	⩾0. 30
100W	30-36m	30-36m	52-68m	57-63m					
150W	42-48m	42-48m	57-63m	57-63m					
200W	45-51m	45-51m	57-63m	57-63m					

LED STREET LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP66



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Rohrdurchmesser einbauen Installation Pipe Diameter
LPSTL-50A01	**50W**	3800-4360LM	N	373X80X300mm	∅ 50/60mm
LPSTL-100A01	**100W**	9200-9560LM	N	565X80X300mm	∅ 50/60mm
LPSTL-150A01	**150W**	12600-13350LM	N	757X80X300mm	∅ 50/60mm
LPSTL-200A01	**200W**	17500-18200LM	N	950X80X300mm	∅ 50/60mm



DSERIES
LED STREET LIGHT

LED SOLAR LIGHT CRI⩾80 H⩾20000h



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Produktgröße Product Size	Batterietyp Battery Type
LPSTL-400D01-Y	**400W**	80Ah	1050×390×88	LFP Battery





Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Produktgröße Product Size	Batterietyp Battery Type
LPSTL-200E01-Y	**200W**	6000mAh	360x181x48	LFP Battery

ES SERIES
LED STREET LIGHT

LED SOLAR LIGHT CRI⩾80 H⩾20000h





Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Produktgröße Product Size	Batterietyp Battery Type
LPSTL-100ES01-SS	**100W**	5AH	310x207x47	LFP battery
LPSTL-200ES01-SS	**200W**	6AH	385x207x47	LFP battery
LPSTL-300ES01-SS	**300W**	10AH	460x220x47	LFP battery
LPSTL-400ES01-SS	**400W**	15AH	580x236x47	LFP battery
LPSTL-500ESO1-SS	**500W**	24AH	658x236x47	LFP battery



LED SOLAR LIGHT CRI⩾80 H:20000h


IP65






Modell Model	Leistung Power	Oplaadtijd Charging Time	Batteriekapazität Battery Capacity	Produktgröße Product Size	Rohrdurchmesser einbauen Installation Pipe Diameter	Batterietyp Battery Type
LPSTL-100D01	**100W**	4-6 Hours	15Ah	510X50X320mm	∅ 55-60mm	LFP Battery
LPSTL-200D01	**200W**	4-6 Hours	26Ah	510X50X320mm	∅ 55-60mm	LFP Battery

100W 110°



200W 110°









BS SERIES
LED STREET LIGHT

LIPER MAKE THE WORLD MORE ENERGY SAVING!



100W/200W
SOLAR STREET LIGHT IP65

LED SOLAR LIGHT

CRI⩾80 H:20000h



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Produktgröße Product Size	Rohrdurchmesser einbauen Installation Pipe Diameter	Batterietyp Battery Type
LPSTL-100BS01-SS	**100W**	20Ah	670X350X590mm	∅ 50/60mm	LFP Battery
LPSTL-200BS01-SS	**200W**	30Ah	770X350X670mm	∅ 50/60mm	LFP Battery





LED SOLAR LIGHT


CRI⩾80 H:20000h

Control Mode:lighting controlled intelligent controller

IP65



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Produktgröße Product Size	Rohrdurchmesser einbauen Installation Pipe Diameter	Batterietyp Battery Type
LPSTL-30BS01-SS	**30W**	6.5Ah	200X120X430mm	∅55mm	LFP Battery
LPSTL-60BS01-SS	**60W**	12Ah	450X125X450mm	∅55mm	LFP Battery
LPSTL-90BS01-SS	**90W**	16.5Ah	510X125X510mm	∅55mm	LFP Battery



LED WALL LIGHT

CRI⩾80 H:20000h

Infrared Sensor



01:black 02:white

Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Produktgröße Product Size
LPWL-20B01	**20W**	3.6Ah	164X118X40mm
LPWL-40B01	**40W**	5.4Ah	224X118X48mm
LPWL-20B02	**20W**	3.6Ah	164X118X40mm
LPWL-40B02	**40W**	5.4Ah	224X118X48mm

HS SERIES
LED SOALR LIGHT

LED SOLAR LIGHT CRI⩾80 H:20000h



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPFL-20HS01-SS	**20W**	3.2V 5Ah	LFP Battery
LPFL-30HS01-SS	**30W**	3.2V 5.5Ah	LFP Battery
LPFL-50HS01-SS	**50W**	3.2V 10Ah	LFP Battery
LPFL-100HS01-SS	**100W**	3.2V 15Ah	LFP Battery
LPFL-150HS01-SS	**150W**	3.2V 18Ah	LFP Battery
LPFL-200HS01-SS	**200W**	3.2V 24Ah	LFP Battery

HW SERIES
LED SOALR LIGHT

LED SOLAR LIGHT CRI⩾80 H:20000h



HFSERIES
LED SOLAR LIGHT



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPFL-100HF01-SS	**100W**	6Ah	LFP Battery
LPFL-200HF01-SS	**200W**	12Ah	LFP Battery
LPFL-300HF01-SS	**300W**	18Ah	LFP Battery
LPFL-400HF01-SS	**400W**	24Ah	LFP Battery



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPFL-100HW01-SS	**100W**	5AH	LFP battery
LPFL-200HW01-SS	**200W**	10AH	LFP battery
LPFL-300HW01-SS	**300W**	15AH	LFP battery
LPFL-400HW01-SS	**400W**	20AH	LFP battery

HW SERIES
LED SOALR LIGHT

LED SOLAR LIGHT CRI⩾80 H:20000h



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPFL-100HW02-SS	**100W**	5AH	LFP battery
LPFL-200HW02-SS	**200W**	10AH	LFP battery
LPFL-300HW02-SS	**300W**	15AH	LFP battery
LPFL-400HW02-SS	**400W**	20AH	LFP battery

MT SERIES
LED SOLAR LIGHT



YS : white YSB:black

Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPDL-30MT01-YS	**30W**	3.2V 5.4Ah	LFP Battery
LPDL-30MT01-YSB	**30W**	3.2V 5.4Ah	LFP Battery

C SERIES
LED SOLAR LIGHT

LED SOLAR LIGHT CRI⩾80 H:20000h





Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPWL-100C01	**100W**	3.2V 2.2Ah	LFP Battery
LPWL-200C01	**200W**	3.2V 4.4Ah	LFP Battery

Infrared Sensor






Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPFL-100C01-G	**100W**	3.7V 2.2Ah	LFP Battery
LPFL-200C01-G	**200W**	3.7V 2.2Ah	LFP Battery


D SERIES
LED WORK LIGHT

LED SOLAR LIGHT CRI⩾80 H:20000h

IP65



Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LPWL-100D01	● **100W**	3.2V 4.4Ah	LFP Battery



MS SERIES
LED WORK LIGHT

LED SOLAR LIGHT CRI⩾80 H:20000h





01:black 02:white

Modell Model	Leistung Power	Batteriekapazität Battery Capacity	Batterietyp Battery Type
LP-MS30A01	● **30W**	6Ah	LFP Battery
LP-MS40A01	● **40W**	12Ah	LFP Battery
LP-MS30A02	● **30W**	6Ah	LFP Battery
LP-MS40A02	● **40W**	12Ah	LFP Battery




liper®

1912...
GERMANY LIPER

GERMANY LIPER

FRESH LIGHT FOR SUPERMARKET

Ra>90(AVERAGE OF R1-R8)
R9>0(OBJECT MORE COLORFUL)




* TAKE 100W AS REFERENCE









GERMANY LIPER

150W/200W/300W

LED UFO LIGHT

AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPUF-150BS01	**150W**	16500-20250LM	N	∅385X120mm
LPUF-200BS01	**200W**	22000-20250LM	N	∅385X120mm
LPUF-300BS01	**300W**	33000-40500LM	N	∅385X120mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPUF-75CS01	**75W**	7500-8250LM	N	∅256X32mm
LPUF-100CS01	**100W**	10000-11000LM	N	∅296X32mm
LPUF-150CS01	**150W**	15000-16500LM	N	∅365X32mm

Material

High Quality Aviation Aluminum

Color Temperature

Warm White

Cool White

Natural White


Walmart
Walmart
Walmart
liper
GERMANY LIPER


NEW 20W / 40W / 60W
EYE PROTECTION LAMP




VEGETABLES
FRESH FRUITS



AS SERIES
LED LAMP


LED LAMP AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lampensockel Base
LPUF-20AS-02	**20W**	1750-1850LM	N	∅130X70mm	E27/B22
LPUF-40AS-02	**40W**	3750-3850LM	N	∅190X103mm	E27/B22
LPUF-60AS-02	**60W**	5750-5850LM	N	∅255X130mm	E27/B22




Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lampensockel Base
LPUF-20AS-01	**20W**	1750-1850LM	N	∅130X70mm	E27/B22
LPUF-40AS-01	**40W**	3750-3850LM	N	∅190X103mm	E27/B22
LPUF-60AS-01	**60W**	5750-5850LM	N	∅255X130mm	E27/B22



Color Temperature

Warm White Cool White Natural White



D/ES SERIES
LED LAMP

LED LAMP AC:100/220-240V CRI⩾80 H:20000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lampensockel Base
LPQP5DLED-01	**5W**	430-470LM	N	∅60X106mm	E27/B22
LPQP7DLED-01	**7W**	600-660LM	N	∅60X106mm	E27/B22
LPQP9DLED-01	**9W**	770-860LM	N	∅60X108mm	E27/B22
LPQP12DLED-01	**12W**	1005-1105LM	N	∅60X110mm	E27/B22
LPQP15DLED-01	**15W**	1235-1365LM	N	∅70X124mm	E27/B22
LPQP18DLED-01	**18W**	1520-1680LM	N	∅80X145mm	E27/B22
LPQP20DLED-01	**20W**	1710-1890LM	N	∅80X145mm	E27/B22



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lampensockel Base
LPQP20ES-01	**20W**	1900-2100LM	N	∅80X150mm	E27/B22
LPQP30ES-01	**30W**	2850-3150LM	N	∅100X185mm	E27/B22
LPQP40ES-01	**40W**	3610-3990LM	N	∅120X210mm	E27/B22
LPQP50ES-01	**50W**	4275-4725LM	N	∅138X240mm	E27/B22

LED STEP LIGHT AC:100/220-240V CRI⩾80 H:30000h





Modell Model	Leistung Power	Lumen Lumen	IP IP	Produktgröße Product Size
LPWL-07A01-Y	7W	595-640LM	65	∅228x81x30mm
LPWL-07A01YCCT	7W	595-640LM	65	∅228x81x30mm




Color Temperature

Warm White Cool White Natural White CCT Adjustable

A SERIES
LED STEP LIGHT

LED STEP LIGHT AC:100/220-240V CRI⩾80 H:30000h


Modell Model	Leistung Power	Lumen Lumen	IP IP	Produktgröße Product Size
LPWL-05A01-Y	5W	425-510LM	65	∅228x85x30mm
LPWL-05A01YCCT	5W	425-510LM	65	∅228x85x30mm



Color Temperature

Warm White Cool White Natural White CCT Adjustable

C SERIES
LED WALL LIGHT


LED WALL LIGHT AC:100/220-240V CRI⩾80 H:30000h






Modell Model	Leistung Power	Lumen Lumen	DIM DIM	Produktgröße Product Size
LPWL-08C01-Y	8W	440-480LM	N	∅70X165mm
LPWL-12C01-Y	12W	660-720LM	N	∅90X275mm







Color Temperature

Warm White Cool White Natural White CCT Adjustable

GERMANY LIPER


C SERIES
LED WALL LIGHT

LED WALL LIGHT AC:100/220-240V CRI⩾80 H:30000h





Modell Model	Leistung Power	Lumen Lumen	DIM DIM	Produktgröße Product Size
LPWL-10C01-Y	10W	550-600LM	N	∅80X230mm



Color Temperature


Warm White Cool White Natural White CCT Adjustable

GERMANY LIPER

liper®

1912...
GERMANY LIPER










IP65 Anti-insect


MA SERIES
LED DOWNLIGHT


GERMANY LIPER



IP65 Anti-insect









IP65 DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL20MA01-Y	**20W**	1600-1700LM	N	∅ 182X48mm
LP-DL30MA01-Y	**30W**	2400-2500LM	N	∅ 235X52mm
LP-DL40MA01-Y	**40W**	3200-3300LM	N	∅ 292X55mm
LP-DL50MA01-Y	**50W**	5000-5100LM	N	∅380X55mm
LP-DL60MA01-Y	**60W**	5130-5670LM	N	∅495X53mm
LP-DL20MA01-YG(SENSOR)	**20W**	1600-1700LM	N	∅ 182X48mm
LP-DL30MA01-YG(SENSOR)	**30W**	2400-2500LM	N	∅ 235X52mm






Color Temperature

Warm White　Cool White　Natural White

MA SERIES
LED DOWNLIGHT

GERMANY LIPER





IP65 Anti-insect


IP65 DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h







Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL30MA01-F	**30W**	2400-2500LM	N	215X57X215mm
LP-DL40MA01-F	**40W**	3200-3300LM	N	265X55X265mm
LP-DL30MA01-FG(SENSOR)	**30W**	2400-2500LM	N	215X48X215mm
LP-DL40MA01-FG(SENSOR)	**40W**	3200-3300LM	N	265X55X265mm

30W-F 120°




40W-F 120°





30W



40W

Color Temperature

Warm White

Cool White

Natural White



LED WATERPROOF DOWN LIGHT

AC:100/220-240V CRI⩾80 H:30000h




T/Y : white TH/YH : black


Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL20MT01-T	20W	1800-1900LM	N	255X125X72mm
LP-DL20MT01-Y	20W	1800-1900LM	N	∅206X72mm
LP-DL30MT01-Y	30W	2700-2800LM	N	∅256X76mm
LP-DL20MT01-TH	20W	1800-1900LM	N	255X125X72mm
LP-DL20MT01-YH	20W	1800-1900LM	N	∅206X72mm
LP-DL30MT01-YH	30W	2700-2800LM	N	∅256X76mm



T/Y : white TH/YH : black

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL20MT02-T	20W	1800-1900LM	N	255X125X72mm
LP-DL20MT02-Y	20W	1800-1900LM	N	∅206X72mm
LP-DL30MT02-Y	30W	2700-2800LM	N	∅256X76mm
LP-DL20MT02-TH	20W	1800-1900LM	N	255X125X72mm
LP-DL20MT02-YH	20W	1800-1900LM	N	∅206X72mm
LP-DL30MT02-YH	30W	2700-2800LM	N	∅256X76mm





Color Temperature

Warm White

Cool White

Natural White




LED WATERPROOF DOWN LIGHT

AC:100/220-240V CRI⩾80 H:30000h



F: white FH: black

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL30MT02-F	30W	2755-3045LM	N	205X60X205mm
LP-DL40MT02-F	40W	3610-3990LM	N	260X60X260mm
LP-DL30MT02-FH	30W	2755-3045LM	N	205X60X205mm
LP-DL40MT02-FH	40W	3610-3990LM	N	260X60X260mm







Color Temperature

Warm White



Cool White



Natural White







LED DOWN LIGHT


AC:100/220-240V CRI⩾80 H:30000h




T: white TB: black


Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL20MF01-T	**20W**	1710-1890LM	N	224X56X138
LP-DL30MF01-Y	**30W**	2570-2840LM	N	255X55X255
LP-DL20MF01-TB	**20W**	1710-1890LM	N	224X56X138
LP-DL30MF01-YB	**30W**	2570-2840LM	N	255X55X255

20W-T 120°



30W-Y 120°





Material	Color Temperature
High Quality Aviation Aluminum	Warm White / Cool White / Natural White





LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h

IP65



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPDL-25MS01-Y	**25W**	2125-2250LM	N	∅215X65mm
LPDL-35MS01-Y	**35W**	2975-3150LM	N	∅282X77mm
LPDL-45MS01-Y	**45W**	3825-4050LM	N	∅330X86mm
LPDL-25MS01-YCCT	**25W**	2125-2250LM	N	∅215X65mm
LPDL-35MS01-YCCT	**35W**	2975-3150LM	N	∅282X77mm
LPDL-45MS01-YCCT	**45W**	3825-4050LM	N	∅330X86mm






Color Temperature


Warm White


Cool White

Natural White

CCT Adjustable








Radar Sensor
Lux: <25lux
Sensing Distance: 5-8meter
Time-Delay: 90s


LED WALL LIGHT AC:100/220-240V CRI⩾80 H:30000h








20W



24W

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPDL-20MFC1-TB	**20W**	1800LM	N	225X138X62
LPDL-20MFC1-TGB	**20W**	1800LM	N	225X138X62
LPDL-24MFC1-YB	**24W**	2160LM	N	255X65X255
LPDL-24MFC1-YGB	**24W**	2160LM	N	255X65X255





15W


Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPDL-15MFC1-FB	**15W**	1275-1315LM	N	198X160X46mm

Material	Color Temperature		
High Quality Aviation Aluminum	Warm White	Cool White	Natural White



MW SERIES
LED DOWN LIGHT

EYE PROTECTION 1st GENERATION



40W

50W

INSTALLATION METHOD








GERMANY LIPER

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h




Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPDL-40MW01-Y	**40W**	3600LM	N	∅400X20mm
LPDL-50MW01-Y	**50W**	4500LM	N	∅500X20mm

40W-Y 120°



50W-Y 120°





ALL IN ONE



2700K 4000K 6500K





Color Temperature

Warm White 

Cool White 

Natural White 

CCT Adjustable 

liper®

GERMANY LIPER




LED DOWN LIGHT

AC:100/220-240V CRI⩾80 H:30000h












Material	Color Temperature
High Quality Aviation Aluminum	Warm White / Cool White / Natural White / CCT Adjustable



LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h

COB



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL10G01-Y	**10W**	780-840LM	N	Ø85X53mm	75-80mm
LP-DL15G01-Y	**15W**	1150-1250LM	N	Ø108X55mm	95-100mm
LP-DL20G01-Y	**20W**	1550-1650LM	N	Ø165X85mm	145-150mm
LP-DL30G01-Y	**30W**	2300-2400LM	N	Ø215X104mm	190-200mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL10G01-YB	**10W**	780-840LM	N	Ø85X53mm	75-80mm
LP-DL15G01-YB	**15W**	1150-1250LM	N	Ø108X55mm	95-100mm
LP-DL20G01-YB	**20W**	1550-1650LM	N	Ø165X85mm	145-150mm
LP-DL30G01-YB	**30W**	2300-2400LM	N	Ø215X104mm	190-200mm

G SERIES
LED DOWN LIGHT

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h

SMD



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL10G02-Y	**10W**	780-840LM	N	Ø85X53mm	75-80mm
LP-DL15G02-Y	**15W**	1150-1250LM	N	Ø108X55mm	95-100mm
LP-DL20G02-Y	**20W**	1550-1650LM	N	Ø165X85mm	145-150mm
LP-DL30G02-Y	**30W**	2300-2400LM	N	Ø215X104mm	190-200mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL10G02-YB	**10W**	780-840LM	N	Ø85X53mm	75-80mm
LP-DL15G02-YB	**15W**	1150-1250LM	N	Ø108X55mm	95-100mm
LP-DL20G02-YB	**20W**	1550-1650LM	N	Ø165X85mm	145-150mm
LP-DL30G02-YB	**30W**	2300-2400LM	N	Ø215X104mm	190-200mm

GS SERIES
LED DOWNLIGHT

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Y:white YB:black

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPDL-10GS01-Y	**10W**	850-935LM	N	Ø85X53mm	75-80mm
LPDL-15GS01-Y	**15W**	1275-1360LM	N	Ø108X55mm	95-100mm
LPDL-10GS01-YB	**10W**	850-935LM	N	Ø85X53mm	75-80mm
LPDL-15GS01-YB	**15W**	1275-1360LM	N	Ø108X55mm	95-100mm

Color Temperature


Warm White | Cool White | Natural White | CCT Adjustable



H SERIES
LED DOWN LIGHT

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h

Pre-Embedded



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPCL-10H02-Y	**10W**	850-935LM	N	Ø98X88mm	75-80mm
LPCL-10H02-YB	**10W**	850-935LM	N	Ø98X88mm	75-80mm



Y:white YB:black

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPCL-10H01-Y	**10W**	850-935LM	N	Ø88X80mm	75-80mm
LPCL-10H01-YB	**10W**	850-935LM	N	Ø88X80mm	75-80mm

Color Temperature

Warm White | Cool White | Natural White | CCT Adjustable

A SERIES
LED DOWNLIGHT

LEDDOWNLIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPCL-10A01-Y	**10W**	850-935LM	N	∅75X100mm
LPCL-15A01-Y	**15W**	1275-1360LM	N	∅75X150mm
LPCL-20A01-Y	**20W**	1700-1785LM	N	∅95X150mm
LPCL-30A01-Y	**30W**	2550-2635LM	N	∅115X135mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPCL-10A01-YB	**10W**	850-935LM	N	∅75X100mm
LPCL-15A01-YB	**15W**	1275-1360LM	N	∅75X150mm
LPCL-20A01-YB	**20W**	1700-1785LM	N	∅95X150mm
LPCL-30A01-YB	**30W**	2550-2635LM	N	∅115X135mm

Color Temperature

Warm White

Cool White

Natural White

CCT Adjustable

A SERIES
LED DOWNLIGHT

LEDDOWNLIGHT AC:100/220-240V CRI⩾80 H:30000h



Y:white YB:black

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPCL-15A01-YR	**15W**	1275-1360LM	N	∅85X88mm
LPCL-15A01-YRCCT	**15W**	1275-1360LM	N	∅85X88mm
LPCL-15A01-YBR	**15W**	1275-1360LM	N	∅85X88mm
LPCL-15A01-YBRCCT	**15W**	1275-1360LM	N	∅85X88mm








Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL10EN01-Y	**10W**	1000-1050LM	N	∅ 90x30mm	∅ 50-85mm
LP-DL18EN01-Y	**18W**	1800-1950LM	N	∅ 115x30mm	∅ 60-105mm
LP-DL24EN01-Y	**24W**	2400-2550LM	N	∅ 160x30mm	∅ 75-150mm
LP-DL36EN01-Y	**36W**	3600-3750LM	N	∅ 215x31mm	∅ 90-200mm

Color Temperature

Warm White | Cool White | Natural White | CCT Adjustable



GERMANY LIPER

LED DOWN LIGHT

AC:100/220-240V CR⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-DL12EM01-Y	**12W**	880-1020LM	N	∅ 172x29mm
LP-DL18EM01-Y	**18W**	1450-1530LM	N	∅ 222x29mm
LP-DL24EM01-Y	**24W**	1920-2060LM	N	∅ 282x29mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPDL-20EMS01-Y	**20W**	1700-1760LM	N	∅172*40mm
LPDL-30EMS01-Y	**30W**	2550-2640LM	N	∅223*40mm
LPDL-40EMS01-Y	**40W**	3400-3520LM	N	∅280*40mm
LPDL-20EMS01-YB	**20W**	1700-1760LM	N	∅172*40mm
LPDL-30EMS01-YB	**30W**	2550-2640LM	N	∅223*40mm
LPDL-40EMS01-YB	**40W**	3400-3520LM	N	∅280*40mm

Color Temperature

Warm White | Cool White | Natural White


BX SERIES
LED DOWN LIGHT










7W 20°







10W 20°







15W 20°







20W 85°







30W 40°







40W 40°





50W 40°





Material

High Quality Aviation Aluminum

Color Temperature

Warm White

Cool White

Natural White

LED DOWN LIGHT

AC:100/220-240V CRI⩾80 H:30000h









Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-COB07BX01	**7W**	550-650LM	N	Ø 98x46mm	Ø 75-85mm
LP-COB10BX01	**10W**	850-950LM	N	Ø 115x47mm	Ø 95-105mm
LP-COB15BX01	**15W**	1350-1450LM	N	Ø 140x49mm	Ø 120-130mm












Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-COB20BX01	**20W**	1750-1900LM	N	Ø 160x50mm	Ø 130-150mm
LP-COB30BX01	**30W**	2550-2650LM	N	Ø 196x60mm	Ø 160-185mm
LP-COB40BX01	**40W**	3450-3550LM	N	Ø 225x70mm	Ø 180-215mm
LP-COB50BX01	**50W**	4350-4450LM	N	Ø 225x95mm	Ø 180-215mm

ES SERIES
LED DOWNLIGHT

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPDL-05ES01	**5W**	380-460LM	N	Ø90X37mm	Ø70-80mm
LPDL-10ES01	**10W**	820-930LM	N	Ø114X37mm	Ø95-105mm



Material

High Quality Aviation Aluminum

Color Temperature

Warm White Cool White Natural White



EASY TO REPLACE



EASY TO REPLACE




GERMANY LIPER


EC SERIES
LED DOWNLIGHT

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL03EC01-Y	**3W**	210-240LM	N	Ø85x25mm	Ø40-75mm
LP-DL06EC01-Y	**6W**	430-510LM	N	Ø116x25mm	Ø55-105mm
LP-DL12EC01-Y	**12W**	880-1020LM	N	Ø166x25mm	Ø55-155mm
LP-DL18EC01-Y	**18W**	1450-1530LM	N	Ø219x25mm	Ø55-210mm







Color Temperature

Warm White Cool White Natural White

EW SERIES
LED DOWN LIGHT








LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL03EW03-Y1	3W	210-240LM	N	Ø 98x28mm	Ø 70-90mm
LP-DL05EW03-Y1	5W	360-420LM	N	Ø 98x28mm	Ø 70-90mm
LP-DL06EW03-Y1	6W	430-510LM	N	Ø 98x28mm	Ø 70-90mm
LP-DL08EW03-Y1	8W	560-650LM	N	Ø 120x28mm	Ø 90-110mm
LP-DL12EW03-Y1	12W	880-1020LM	N	Ø 185x28mm	Ø 155-175mm
LP-DL18EW03-Y1	18W	1450-1530LM	N	Ø 225x28mm	Ø 195-215mm
LP-DL26EW03-Y1	26W	2110-2210LM	N	Ø 225x28mm	Ø 195-215mm


3W 110°



5W 110°

6W 105°

8W 110°



12W 110°

18W 110°

26W 110°



Color Temperature

Warm White

Cool White

Natural White

GERMANY LIPER



EWS SERIES
LED DOWN LIGHT

CCT Adjustable




LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPDL-05EWS01-Y	**5W**	425-500LM	N	Ø88X28mm	65-80mm
LPDL-08EWS01-Y	**8W**	680-720LM	N	Ø112X30mm	90-100mm
LPDL-12EWS01-Y	**12W**	1020-1060LM	N	Ø175X33mm	145-150mm
LPDL-18EWS01-Y	**18W**	1530-1570LM	N	Ø222X35mm	185-200mm



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPDL-05EWS01-YCCT	**5W**	425-500LM	N	Ø88X28mm	65-80mm
LPDL-08EWS01-YCCT	**8W**	680-720LM	N	Ø112X30mm	90-100mm
LPDL-12EWS01-YCCT	**12W**	1020-1060LM	N	Ø175X33mm	145-150mm
LPDL-18EWS01-YCCT	**18W**	1530-1570LM	N	Ø222X35mm	185-200mm



Color Temperature

Warm White Cool White Natural White CCT Adjustable

A SERIES
LED DOWN LIGHT

LED DOWN LIGHT AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-DL07A01-YX	**7W**	550-650LM	N	∅ 98x47mm	∅ 75-85mm
LP-DL10A01-YX	**10W**	850-920LM	N	∅ 115x47mm	∅ 95-105mm
LP-DL15A01-YX	**15W**	1350-1450LM	N	∅ 140x51mm	∅ 120-130mm
LP-DL20A01-YX	**20W**	1850-1950LM	N	∅ 180x44mm	∅ 160-170mm
LP-DL30A01-YX	**30W**	2850-2950LM	N	∅ 228x44mm	∅ 205-215mm
LP-DL10A01-FX	**10W**	850-950LM	N	⍁ 101x43mm	⍁ 80-90mm
LP-DL15A01-FX	**15W**	1350-1450LM	N	⍁ 119x43mm	⍁ 100-110mm
LP-DL20A01-FX	**20W**	1850-1950LM	N	⍁ 140x45mm	⍁ 120-130mm

IP20



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPDL-07AS01-Y	**7W**	595-635LM	N	∅ 95x26mm	∅ 75-85mm
LPDL-12AS01-Y	**12W**	1020-1060LM	N	∅ 112x28mm	∅ 90-100mm
LPDL-20AS01-Y	**20W**	1700-1740LM	N	∅ 172x28mm	∅145-150mm
LPDL-30AS01-Y	**30W**	2550-2590LM	N	∅ 225x28mm	∅180-200mm

Material

High Quality Aviation Aluminum

Color Temperature

Warm White | Cool White | Natural White | CCT Adjustable





Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPDL-07AS01-YW	**7W**	595-635LM	N	∅ 95x26mm	∅ 75-85mm
LPDL-12AS01-YW	**12W**	1020-1060LM	N	∅ 112x28mm	∅ 90-100mm
LPDL-20AS01-YW	**20W**	1700-1740LM	N	∅ 172x28mm	∅145-150mm
LPDL-30AS01-YW	**30W**	2550-2590LM	N	∅ 225x28mm	∅180-200mm



LED CEILING LIGHT

AC:100/220-240V CRI⩾80 H:30000h



Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-CL05G01-Y	5W	440-480LM	N	Ø88X42mm	75-80mm
LP-CL05G02-Y	5W	440-480LM	N	Ø88X42mm	75-80mm
LP-CL05G01-YB	5W	440-480LM	N	Ø88X42mm	75-80mm
LP-CL05G01-YG	5W	440-480LM	N	Ø88X42mm	75-80mm
LP-CL05G01-YBG	5W	440-480LM	N	Ø88X42mm	75-80mm
LP-CL07G01-Y	7W	570-630LM	N	Ø88X42mm	75-80mm
LP-CL07G02-Y	7W	570-630LM	N	Ø88X42mm	75-80mm
LP-CL07G01-YB	7W	570-630LM	N	Ø88X42mm	75-80mm
LP-CL07G01-YG	7W	570-630LM	N	Ø88X42mm	75-80mm
LP-CL07G01-YBG	7W	570-630LM	N	Ø88X42mm	75-80mm
LP-CL10G01-Y	10W	800-900LM	N	Ø120X52mm	95-100mm
LP-CL10G02-Y	10W	800-900LM	N	Ø120X52mm	95-100mm
LP-CL010G01-YB	10W	800-900LM	N	Ø120X52mm	95-100mm
LP-CL010G01-YG	10W	800-900LM	N	Ø120X52mm	95-100mm
LP-CL010G01-YBG	10W	800-900LM	N	Ø120X52mm	95-100mm



CCT Adjust by Driver



CCT Adjust by Switch

Color Temperature

Warm White



Cool White





Natural White




CCT Adjustable










F SERIES
LED CEILING LIGHT



ANTI-DAZZLE DESIGN





BUCKLE DESIGN, SCREW FREE INSTALLATION

LED CEILING LIGHT AC:100/220-240V CRI⩾80 H:30000h

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-COB12FS01	12W	950-1050LM	N	Ø 108x65mm	Ø 90-100mm
LP-COB12FS01-W	12W	950-1050LM	N	Ø 108x65mm	Ø 90-100mm
LP-COB12FS02	12W	950-1050LM	N	Ø 108x65mm	Ø 90-100mm
LP-COB12FS02-W	12W	950-1050LM	N	Ø 108x65mm	Ø 90-100mm

12W 17°





BUCKLE DESIGN
SCREW FREE INSTALLATION

Material

High Quality Aviation Aluminum

Color Temperature

Warm White

Cool White

Natural White

F SERIES
LED CEILING LIGHT









LED CEILING LIGHT AC:100/220-240V CRI⩾80 H:30000h



F01
black inner circle

F02
white inner circle







Model	Power	Lumen	DIM	Product Size	Cutout
LP-COB03F01-F1	3W	260-310LM	N	⍁ 90x35mm	Ø 68-80mm
LP-COB03F02-F1	3W	260-310LM	N	⍁ 90x35mm	Ø 68-80mm
LP-COB05F01-F1	5W	350-360LM	N	⍁ 90x35mm	Ø 68-80mm
LP-COB05F02-F1	5W	350-360LM	N	⍁ 90x35mm	Ø 68-80mm
LP-COB08F01-F1	8W	630-720LM	N	⍁ 110x50mm	Ø 90-100mm
LP-COB08F02-F1	8W	630-720LM	N	⍁ 110x50mm	Ø 90-100mm
LP-COB12F01-F1	12W	950-1050LM	N	⍁ 136x65mm	Ø 120-130mm
LP-COB12F02-F1	12W	950-1050LM	N	⍁ 136x65mm	Ø 120-130mm

F SERIES
LED CEILING LIGHT

LED CEILING LIGHT AC:100/220-240V CRI⩾80 H:30000h


F01
black inner circle


F02
white inner circle

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LP-COB03F01-S	**3W**	220-280LM	N	Ø 72x35mm	Ø 60mm
LP-COB03F02-S	**3W**	220-280LM	N	Ø 72x35mm	Ø 60mm
LP-COB03F01-Y1	**3W**	260-310LM	N	Ø 90x35mm	Ø 68-80mm
LP-COB03F02-Y1	**3W**	260-310LM	N	Ø 90x35mm	Ø 68-80mm
LP-COB05F01-Y1	**5W**	350-360LM	N	Ø 90x35mm	Ø 68-80mm
LP-COB05F02-Y1	**5W**	350-360LM	N	Ø 90x35mm	Ø 68-80mm
LP-COB08F01-Y1	**8W**	630-720LM	N	Ø 110x50mm	Ø 90-100mm
LP-COB08F02-Y1	**8W**	630-720LM	N	Ø 110x50mm	Ø 90-100mm
LP-COB12F01-Y1	**12W**	950-1050LM	N	Ø 136x65mm	Ø 120-130mm
LP-COB12F02-Y1	**12W**	950-1050LM	N	Ø 136x65mm	Ø 120-130mm
LP-COB05F01-YT1	**5W**	310-360LM	N	Ø 90x35mm	Ø 68-80mm
LP-COB05F02-YT1	**5W**	310-360LM	N	Ø 90x35mm	Ø 68-80mm


10°/20°/30° Selectable


FS SERIES
LED CEILING LIGHT

LED CEILING LIGHT AC:100/220-240V CRI⩾80 H:30000h







Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size	Lochgröße Cutout
LPCOB-04FS01-YB	**4W**	320-340LM	N	Ø 40X41	Ø 30-35mm
LPCOB-04FS01-YBR	**4W**	320-340LM	N	Ø 35X41	Ø 30mm
LPCOB-04FS01-Y	**4W**	320-340LM	N	Ø 40X41	Ø 30-35mm
LPCOB-04FS01-YR	**4W**	320-340LM	N	Ø 35X41	Ø 30mm







LED TRACK LIGHT


AC:100/220-240V CRI⩾90 H:30000h




01:black 02:white


Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTRL-20F01	20W	1950-2150LM	N	93X65X207mm
LPTRL-30F01	30W	3325-3675LM	N	94X75X207mm
LPTRL-20F02	20W	1950-2150LM	N	93X65X207mm
LPTRL-30F02	30W	3325-3675LM	N	94X75X207mm

20W 24°




30W 24°





20W



30W

Material

High Quality Aviation Aluminum

Color Temperature

Warm White | Cool White | Natural White | CCT Adjustable



ALL IN ONE

2700K 4000K 6500K





GERMANY LIPER



LED TRACK LIGHT


AC:100/220-240V CRI⩾80 H:30000h




01:black 02:white

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTRL-15E01	15W	920-1050LM	N	130X63X95mm
LPTRL-30E01	30W	1950-2080LM	N	160X94X130mm
LPTRL-15E02	15W	920-1050LM	N	130X63X95mm
LPTRL-30E02	30W	1950-2080LM	N	160X94X130mm


15W 15°




15W 60°




30W 15°



30W 60°





15W 30W


Material	Color Temperature
High Quality Aviation Aluminum	Warm White / Cool White / Natural White




A/E SERIES
LED PANEL LIGHT

LED LOUVER FITTING AC:100/220-240V CRI⩾80 H:30000h


50W 120°



40W 120°










Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-LF60A60 40W	**40W**	3680-3960LM	N	596X7X596mm
LP-LF60A60 50W	**50W**	4780-4950LM	N	596X7X596mm
LP-LF120A30	**40W**	3680-3960LM	N	1196X7X296mm
LP-LF120A60	**80W**	7350-7580LM	N	1196X7X596mm


40W 115°



50W 115°







Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-LF60E60 40W	**40W**	3250-3370LM	N	596X40X596mm
LP-LF60E60 50W	**50W**	4380-4510LM	N	596X40X596mm

T8 SERIES
LED TUBE







straight connection



“I” shape connector



Right angle connection




“L” shape connector

LED TUBE AC:100/220-240V CRI⩾80 H:30000h




Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTL08D04	8W	600-680LM	N	600X30X37mm
LPTL16D04	16W	1260-1350LM	N	1200X30X37mm
LPTL10D04-2	16W	1260-1350LM	N	600X37X63mm
LPTL20D04-2	32W	2550-2670LM	N	1200X37X63mm
LPTL30D04-2	62W	4960-5090LM	N	1500X37X63mm


8W-LPTL08D04 125°




16W-LPTL16D04 125°




16W-LPTL10D04-2 130°



32W-LPTL20D04-2 130°





8W/16W



16W/32W/62W

Color Temperature

Warm White

Cool White


Natural White



T8 SERIES
LED TUBE


GERMANY LIPER

LED TUBE AC:100/220-240V CRI⩾80 H:30000h




Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTL10DS04	**8W**	600-680LM	N	588X26X30mm
LPTL20DS04	**16W**	1260-1350LM	N	1198X26X30mm
LPTL10DS04-2	**18W**	1420-1530LM	N	588X36X56mm
LPTL20DS04-2	**36W**	2880-2950LM	N	1198X36X56mm
LPTL30DS04-2	**45W**	3750-3870LM	N	1498X36X56mm


8W-LPTL08D04 125°




16W-LPTL16D04 125°




18W-LPTL10DS04-2 130°



36W-LPTL20DS04-2 130°





Color Temperature

Warm White

Cool White

Natural White




T5 SERIES
LED TUBE






Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTL04D05	**4W**	360-410LM	N	300x23x35mm
LPTL08D05	**8W**	720-820LM	N	600x23x35mm
LPTL12D05	**12W**	1050-1200LM	N	900x23x35mm
LPTL16D05	**16W**	1400-1610LM	N	1200x23x35mm


4W 140°




8W 140°




12W 140°



16W 140°






4W/8W/12W/16W


T8 SERIES
LED TUBE

LED TUBE AC:100/220-240V CRI⩾80 H:30000h

10W 125°



20W 125°











10W/20W/25W

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTL10C02	**10W**	800-900LM	N	∅ 26x600mm
LPTL20C02	**20W**	1600-1800LM	N	∅ 26x1200mm
LPTL25C02	**25W**	2000-2250LM	N	∅ 26x1500mm

8W 160°




16W 160°










8W/16W

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPTL08E02	**8W**	680-780LM	N	∅ 26x600mm
LPTL16E02	**16W**	1350-1480LM	N	∅ 26x1200mm


LIGHTING
FIXTURE






Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
CW.A 1X18W	**1X18W**	1350-1450LM	N	625X30X46mm
CW.A 1X36W	**1X36W**	2600-2700LM	N	1232X30X47mm
CW.B 2X18W	**2X18W**	2600-2700LM	N	625X30X46mm
CW.B 2X36W	**2X36W**	4830-5400LM	N	1232X30X47mm





Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
SY6120-H(LED)	**1X20W**	1650-1750LM	N	600X70X95mm
SY6140-H(LED)	**1X40W**	3350-3450LM	N	1200X70X95mm
SY6160-H(LED)	**1X60W**	5550-5650LM	N	1500X70X95mm






Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
SY6118-H	**1X18W**	1350-1450LM	N	662X98X106mm
SY6136-H	**1X36W**	2600-2700LM	N	1265X98X106mm
SY6218-H	**2X18W**	2600-2700LM	N	662X106X150mm
SY6236-H	**2X36W**	5200-5300LM	N	1265X106X150mm

A SERIES
LED STRIP LIGHT

LED STRIPLIGHT AC: 220-240V CRI⩾80 H:30000h

IP65
AC 220-240V






Power Supply Carry 50M

Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPSL-7A01	**7W/M**	700LM/M	N	8mm
LPSL-12A01	**12W/M**	1200LM/M	N	11mm

IP20
DC24V





Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LPSTL-20A01	**20W/M**	2400LM/M	N	10mm
LPSTL-25A01	**25W/M**	3000LM/M	N	15mm
LPSTL-30A01	**30W/M**	3600LM/M	N	28mm/30mm
LPSTL-40A01	**40W/M**	4800LM/M	N	40mm





LED MAGNETIC LIGHT DC48V CRI⩾90 H:30000h





Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-CX-20CB-FG-10	**10W**	850-935LM	N	304X22X45mm
LP-CX-20CB-FG-20	**20W**	1700-1785LM	N	604X22X45mm
LP-CX-20CB-FG-30	**30W**	2550-2635LM	N	904X22X45mm






Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-CX-20CB-GS-6	**6W**	510-595LM	N	134X22X45mm
LP-CX-20CB-GS-12	**12W**	1020-1105LM	N	220X22X46mm
LP-CX-20CB-GS-18	**18W**	1530-1615LM	N	328X22X47mm
LP-CX-20CB-GS-24	**24W**	2040-2125LM	N	435X22X47mm

Color Temperature

Warm White



Cool White



Natural White



LED MAGNETIC LIGHT DC48V CRI⩾90 H:30000h







Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-CX-20CB-DG2-10	**10W**	850-935LM	N	46X162mm
LP-CX-20CB-DG2-20	**20W**	1700-1785LM	N	56X196mm
LP-CX-20CB-HS-12	**12W**	1020-1080LM	N	40X300mm










Modell Model	Leistung Power	Lumen Lumen	Verdunklung DIM	Produktgröße Product Size
LP-CX-20CB-GS-ZD-6	**6W**	510-595LM	N	134X22X85mm
LP-CX-20CB-GS-ZD-12	**12W**	1020-1105LM	N	220X22X85mm
LP-CX-20CB-GS-ZD-18	**18W**	1530-1615LM	N	328X22X85mm
LP-CX-20CB-GS-ZD-24	**24W**	2040-2125LM	N	435X22X85mm

Color Temperature

Warm White


Cool White

Natural White





WG.02.0112



WG.02.0089



WG.02.0114



WG.02.0110



WG.02.0111



WG.02.0113



WG.02.0116



WG.02.0117



WG.02.0115

4 installation methods

1/2/3meters

